IN THE CLAIMS:

- 1. (Currently Amended) A treatment element for the accommodation of dental hand instruments, comprising a base module [(1)] having connectors [(39)] for the supply of media to the instruments, furthermore comprising a top module [(4; 12)] including an instrument holder (5; 15), characterized in that wherein said top module [(4; 12)] is interchangeable and that the base module (1) treatment element treatment element can, by changing the top module [(4; 12)], be converted from a type of apparatus having hanging instrument hoses into a whip-arm hose support type of apparatus.
- (Currently Amended) A treatment element as defined in claim 1, characterized in that wherein said top module can be releasably connected to said base module by hand.
- 3. (Currently Amended) A treatment element as defined in claim 1, characterized in that wherein connectors [(39)] are disposed on the underside of the base module [(1)].
- 4. (Currently Amended) A treatment element as defined in any one of claims 1 to 3, characterized in that claim 1, wherein said top module [(4; 12)] is equipped with a control panel [(7; 19)].
- (Currently Amended) A treatment element as defined in any one of claims 1 to 4, characterized in that claim 1, wherein said top module [(4; 12)] is equipped with an instrument holder [(5; 15)] forming a separate component.

- 6. (Currently Amended) A treatment element as defined in any one of claims 1 to 5, characterized in that claim 1, wherein said top module [(4)] and said instrument holder (5) are adapted for the accommodation of instruments having hanging instrument hoses.
- 7. (Currently Amended) A treatment element as defined in claim 6, characterized in that wherein said top module [(4)] has a flat receptacle [(6)] and the instrument holder [(5)] has docking bays [(9)] for holding instruments.
- 8. (Currently Amended) A treatment element as defined in any one of claims 1 to 5, characterized in that claim 1, wherein said top module [(12)] and said instrument holder [(15)] are adapted to quide the instrument hoses over the treatment element.
- 9. (Currently Amended) A treatment element as defined in claim 8, characterized in that wherein on the top module [(12)] there are mounted swivel arms or whip arms and that the instrument holder [(15)] has troughs [(16)] for the accommodation of the instruments.
- 10. (Currently Amended) A treatment element as defined in any one of claims 1 to 9, characterized in that claim 1, wherein said connectors [(2;39)] can be shifted from a position for the attachment of a hanging instrument hose to a position for the attachment of a hose from the front.
- 11. (Currently Amended) A treatment element as defined in any one of claims 1 to 9, characterized in that claim 1, including an instrument removal detector (71) is provided which can be converted from a state for the detection of instruments having hanging instrument

hoses to a state for the detection of instruments having swivel-arm or whip-arm hose supports.

- 12. (Currently Amended) A treatment element as defined in claim 11, characterized in that wherein said instrument removal detector [(71)] can be displaced from said base module [(1)] to said top module [(12)].
- 13. (Currently Amended) A treatment element as defined in claim 11-or claim 12, characterized in that wherein a single instrument removal detector [(71)] is provided on the base module [(1)] for use with both types of apparatus.
- 14. (Currently Amended) A treatment element as defined in any one of claims 1 to 13, characterized in that claim 1, wherein said top module [(91)] has a frame member [(94)] and an insert [(95; 101)] which insert [(95; 101)] is designed according to the type of apparatus required.